

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3357	710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:45
L2	787	((request command read write) NEAR4 (modify\$3 chang\$3 modification)) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:00
L3	171	((arbitrat\$3 arbiter) NEAR4 (request command read write)) AND ((request command read write) NEAR4 (modify\$3 chang\$3 modification)) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:01
L4	122	(priorit\$4) AND ((arbitrat\$3 arbiter) NEAR4 (request command read write)) AND ((request command read write) NEAR4 (modify\$3 chang\$3 modification)) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:02
L5	52	(priorit\$4) AND ((arbitrat\$3 arbiter) NEAR4 (request command read write)) AND ((request command read write) NEAR4 (modify\$3 chang\$3 modification)) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:14
L6	23	((arbitrat\$3 arbiter) NEAR4 (request command read write)) AND ((priority) NEAR4 (modify\$3 chang\$3 modification)) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:16

EAST Search History

L7	27	((arbitrat\$3 arbiter) NEAR4 (request command read write)) AND (((priority) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:23
L8	0	((arbitrat\$3 arbiter)) AND (((priority) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ((buffer queue FIFO) NEAR4 (full empty fullness filled emptied))) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:27
L9	2	((arbitrat\$3 arbiter)) AND (((priority) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) SAME ((buffer queue FIFO) NEAR4 (full empty fullness filled emptied))) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:26
L10	3	((arbitrat\$3 arbiter)) AND (((priority) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ((buffer queue FIFO) NEAR4 (space level threshold full empty fullness filled emptied))) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:27
L11	12	((arbitrat\$3 arbiter)) AND (((priority) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ((buffer queue FIFO) NEAR4 (space level threshold full empty fullness filled emptied))) AND "710"/\$.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 16:28
L12	0	((arbitrat\$3 arbiter)) AND (((length) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ("time slot")) AND (PCI) AND "710"/.CCLS. AND (@ad<"20040120" @rlad<"20040120"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:28

EAST Search History

L13	0	(((length) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ("time slot")) AND (PCI) AND "710"/.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:28
L14	0	(((size) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ("time slot")) AND (PCI) AND "710"/.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:29
L15	1	(((size) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ("time slot")) AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:30
L16	11	(((size) NEAR4 (increas\$3 decreas\$3 modify\$3 chang\$3 modification)) SAME ("time slot")) AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:50
L17	1188	("time slot") AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:31
L18	0	(((request command) NEAR4 (size length duration) NEAR4 (reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) SAME ("time slot")) AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:51
L19	22	(((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) SAME ("time slot")) AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:56
L20	553	(((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) SAME ("time slot")) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:56

EAST Search History

L21	1	((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ((fit utilize waste efficient) NEAR3 ("time slot")) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:57
L22	251	((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) WITH ("time slot") AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:58
L23	182	((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) NEAR6 ("time slot") AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 17:58
L24	7	((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) NEAR6 ("time slot") AND "710"/\$.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:00
L25	182	((request command) NEAR4 (expand\$3 combin\$3 reduc\$4 increas\$3 decreas\$3 modify\$3 chang\$3 modification)) NEAR6 ("time slot") AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:05
L26	224	((wast\$3) NEAR6 ("time slot")) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:05
L27	3	((wast\$3) NEAR6 ("time slot")) AND (PCI) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:11

EAST Search History

L28	224	((wast\$3) NEAR6 ("time slot")) AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:11
L29	6	((wast\$3) NEAR6 ("time slot")) AND "710"/\$.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:12
L30	217	((multiple plurality two three four five) NEAR4 (DMA)) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:46
L31	53	((multiple plurality) NEAR4 (DMA) NEAR4 (controller)) AND (PCI) AND 710/5,6,22,39,40,45,56.CCLS. AND (@ad<"20040120" @rlad<"20040120")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 18:47